

粗牙统一螺纹（UNC）钢丝螺套型式尺寸及安装

自由状态下 外径 (Dz)	钻头直 径 (d0)	钻孔深 度 (L3)	实际有效长度 (L2)	螺纹规格	螺距 (P)	公称长 度标识	公称长 度 (L1)	圈数 (W)	自由状态下外 径(Dz)	钻头直 径 (d0)	钻孔深 度 (L3)	实际有 效长度 (L2)
2.7 - 2.9	2.4	3.9	1.8	7/16" - 14	1.814	1d	11.1	4.5	13.4 - 14.0	11.6	18.4	10.2
2.7 - 2.9	2.4	5	2.9	7/16" - 14	1.814	1.5d	16.7	7.4	13.4 - 14.0	11.6	24	15.8
2.7 - 2.9	2.4	6.1	3.9	7/16" - 14	1.814	2d	22.2	10.3	13.4 - 14.0	11.6	29.5	21.3
2.7 - 2.9	2.4	7.2	5	7/16" - 14	1.814	2.5d	27.8	13.1	13.4 - 14.0	11.6	35.1	26.9
3.6 - 4.0	3.1	5.4	2.5	1/2" - 13	1.954	1d	12.7	4.8	15.2 - 15.8	13.2	20.5	11.7
3.6 - 4.0	3.1	6.8	3.9	1/2" - 13	1.954	1.5d	19.1	7.9	15.2 - 15.8	13.2	26.9	18.1
3.6 - 4.0	3.1	8.3	5.4	1/2" - 13	1.954	2d	25.4	10.9	15.2 - 15.8	13.2	33.2	24.4
3.6 - 4.0	3.1	9.7	6.8	1/2" - 13	1.954	2.5d	31.8	13.9	15.2 - 15.8	13.2	39.6	30.8
4.0 - 4.4	3.4	5.7	2.8	9/16" - 12	2.117	1d	14.3	5.1	17.0 - 17.6	14.9	22.8	13.2
4.0 - 4.4	3.4	7.3	4.3	9/16" - 12	2.117	1.5d	21.5	8.3	17.0 - 17.6	14.9	30	20.4
4.0 - 4.4	3.4	8.9	6.0	9/16" - 12	2.117	2d	28.6	11.5	17.0 - 17.6	14.9	37.1	27.5
4.0 - 4.4	3.4	10.4	7.5	9/16" - 12	2.117	2.5d	35.7	14.7	17.0 - 17.6	14.9	44.2	34.6
4.5 - 4.9	3.8	6.7	3.1	5/8" - 11	2.309	1d	15.9	5.3	18.9 - 19.5	16.6	25.1	14.7
4.5 - 4.9	3.8	8.5	4.9	5/8" - 11	2.309	1.5d	23.8	8.3	18.9 - 19.5	16.6	33	22.6
4.5 - 4.9	3.8	10.2	6.6	5/8" - 11	2.309	2d	31.8	11.8	18.9 - 19.5	16.6	41	30.6
4.5 - 4.9	3.8	11.5	8.4	5/8" - 11	2.309	2.5d	39.7	15	18.9 - 19.5	16.6	48.9	38.5
5.2 - 5.6	4.4	7.4	3.8	3/4" - 10	2.54	1d	19.1	5.9	22.4 - 23.0	19.7	29.3	17.8
5.2 - 5.6	4.4	9.5	5.9	3/4" - 10	2.54	1.5d	28.6	9.4	22.4 - 23.0	19.7	38.8	27.3
5.2 - 5.6	4.4	11.5	8.0	3/4" - 10	2.54	2d	38.1	13	22.4 - 23.0	19.7	48.3	36.8
5.2 - 5.6	4.4	13.7	10.1	3/4" - 10	2.54	2.5d	47.6	16.6	22.4 - 23.0	19.7	57.8	46.3
6.2 - 6.6	5.2	9.0	4.3	7/8" - 9	2.822	1d	22.2	6.3	26.0 - 26.7	23	33.5	20.8
6.2 - 6.6	5.2	11.4	6.7	7/8" - 9	2.822	1.5d	33.3	10	26.0 - 26.7	23	44.6	31.9
6.2 - 6.6	5.2	13.8	9.1	7/8" - 9	2.822	2d	44.5	13.7	26.0 - 26.7	23	55.8	43.1

巴山航空-金属丝网源头制造商

6.2 - 6.6	5.2	16.3	11.6	7/8" - 9	2.822	2.5d	55.6	17.4	26.0 - 26.7	23	66.9	54.2
6.8 - 7.2	5.8	9.7	5.0	1" - 8	3.175	1d	25.4	6.4	29.6 - 30.4	26.2	38.1	23.8
6.8 - 7.2	5.8	12.4	7.7	1" - 8	3.175	1.5d	38.1	10.2	29.6 - 30.4	26.2	50.8	36.5
6.8 - 7.2	5.8	15.2	10.5	1" - 8	3.175	2d	50.8	14	29.6 - 30.4	26.2	63.5	49.2
6.8 - 7.2	5.8	17.9	13.2	1" - 8	3.175	2.5d	63.5	17.8	29.6 - 30.4	26.2	76.2	61.9
8.2 - 8.5	6.7	11.5	5.8	1 1/8" - 7	3.629	1d	28.6	6.3	33.4 - 34.4	29.5	43.1	26.8
8.2 - 8.5	6.7	14.6	8.9	1 1/8" - 7	3.629	1.5d	42.9	10	33.4 - 34.4	29.5	57.4	41.1
8.2 - 8.5	6.7	17.8	12.1	1 1/8" - 7	3.629	2d	57.2	13.8	33.4 - 34.4	29.5	71.7	55.4
8.2 - 8.5	6.7	21	15.3	1 1/4" - 7	3.629	1d	31.8	7.1	36.7 - 37.7	33	46.3	30
10.0 - 10.3	8.4	13.5	7.2	1 1/4" - 7	3.629	1.5d	47.6	11.3	36.7 - 37.7	33	62.1	45.8
10.0 - 10.3	8.4	17.5	11.2	1 1/4" - 7	3.629	2d	63.5	15.4	36.7 - 37.7	33	78	61.7
10.0 - 10.3	8.4	21.5	15.2	1 3/8" - 6	4.234	1d	34.9	6.6	40.6 - 41.7	36	51.8	32.8
10.0 - 10.3	8.4	25.4	19.1	1 3/8" - 6	4.234	1.5d	52.4	10.6	40.6 - 41.7	36	69.3	50.3
11.8 - 12.2	10	15.9	8.7	1 3/8" - 6	4.234	2d	69.9	14.4	40.6 - 41.7	36	86.8	67.8
11.8 - 12.2	10	20.7	13.5	1 1/2" - 6	4.234	1d	38.1	7.4	43.9 - 45.0	39.5	55	36
11.8 - 12.2	10	25.5	18.3	1 1/2" - 6	4.234	1.5d	57.2	11.6	43.9 - 45.0	39.5	74.1	55.1
11.8 - 12.2	10	30.2	23	1 1/2" - 6	4.234	2d	76.2	15.9	43.9 - 45.0	39.5	93.1	74.1